LOWER TWEED RIVER DEPTHS AS AT NOVEMBER 2014

NOTES: WARNINGS: Channel locations and riverbed conditions may change and caution should be used 1. Surveys are undertaken to monitor changes in the lower river shoals as part of the Tweed when navigating this river. River Entrance Sand Bypassing Project's environmental monitoring program. Riverbed contours show average depths in metres below Tweed River Hydro Datum 2. Tweed River Entrance conditions are provided separately on the Tweed River Entrance seabed maps. (approximately ISLW), not clearance depths. FINGAL OCEANPACIFIC Refer to Tweed River Entrance seabed maps SOUTHBANORA **KEY LEGEND** POINT J Ukerbagh Average Depths in metres Boat ramp below Tweed River Hydro Datum Boatharbour <1 Waterline 2 to 3 Ukerebagh Passage Scan here with a 3 to 4 QR code 4 to 6 reader app 1000 6 to 8 to view the estuary 8 to 10 map online Boyds Bay >10 metres Survey information collected by the NSW Office of Environment and Heritage during 18-21/11/2014, for the Tweed River Entrance Sand Bypassing Project. TWEED RIVER ENTRANCE SAND BYPASSING PROJECT

Trade &

NSW

Investment

QUEENSLAND

The Tweed River Entrance Sand Bypassing Project is a joint project of

the New South Wales and Queensland Governments, with the support of

the City of Gold Coast, and in conjunction with the Tweed Shire Council.